

BASKET STRAINER HOUSINGS

A device through which a liquid is passed for purification, filtering or separation from solid matter; anything (including a screen or a cloth) used to strain a liquid; any device functioning as a sieve or filter - in special, a perforated screen or openwork (usually at the end of a suction pipe of a pump), used to prevent solid bodies from mixing in a liquid stream or flowline.

Feature & Benefits

- Fabricated Construction
- Compact And High Capacity Units Are Available
- Custom Modifications Available To Suit Customer Requirements
- Vent & Drain Provided On All Strainers.
- Inline & Offline Connections Are Available.
- Continuous Flow No Shut Down For Cleaning (In Duplex Strainer)
- 3 Way Ball Valve Design For Duplex Strainer

MATERIAL OF CONSTRUCTION

- CARBON STEEL
- STAINLESS STEEL
- OTHER MATERIAL UPON REQUEST

SIMFLEX BASKET STRAINER HSG.

PROCESS CONNECTIONS

1" TO 8" FLANGED END/ BUTTWELD END

PRESSURE RATING: - 150# TO 900#



DUPLEX BASKET STRAINER HSG.

PROCESS CONNECTIONS

- 1" TO 8" FLANGED END
- 1" TO 2" THREADED END

PRESSURE RATING: -

- FLANGED END- 150# TO 900#



APPLICATIONS:-

- Water, Oil Systems, Other Liquid Systems, Protection Of Pump, Meters, Valves Etc.

OPTIONS OPTIONS



